
FACSIMILE TRANSMITTAL SHEET

To:	From:
Examiner David England	Syed Jafar Ali (Reg. No. 58,780)
CC:	Date:
N/A	10/26/2009
Fax Number:	Total pages (including cover):
571-273-3912	19
Re:	Your Reference Number
Proposed Amendment	Application Serial No. 09/577,231

URGENT FOR REVIEW PLEASE REPLY

Dear Examiner England,

Please find attached a Proposed Amendment for U.S. Patent Application Serial No. 09/577,231, which includes proposed claim amendments based on our discussion earlier today. Please let us know whether the attached Proposed Amendment is acceptable, and we will then file the terminal disclaimer.

Thank you for your assistance in advancing the prosecution of this application. If you need anything further from us in the meantime, please do not hesitate to contact us. Otherwise, we will look forward to your comments regarding the attached Proposed Amendment.

Best regards,

Jafar Ali

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT : Lundy LEWIS CONFIRMATION NO. : 3634
SERIAL NUMBER : 09/577,231 EXAMINER : David E. England
FILING DATE : May 23, 2000 ART UNIT : 2443
FOR : METHOD AND APPARATUS FOR COMPONENT TO SERVICE MAPPING IN SERVICE LEVEL
MANAGEMENT (SLM)

PROPOSED AMENDMENT

Mail Stop Amendment

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Further to the telephonic discussion with the Examiner on **October 26, 2009**, the Examiner is hereby authorized to amend the above-identified application as follows:

Amendments to the Claims begin on page 2 of this paper.

Remarks/Arguments begin on page 17 of this paper.

It is not believed that extensions of time or fees for net addition of claims are required beyond those that may otherwise be provided for in documents accompanying this paper. However, if additional extensions of time are necessary to prevent abandonment of this application, then such extensions of time are hereby petitioned for under 37 C.F.R. § 1.136(a), and any fees required therefore (including fees for net addition of claims) are hereby authorized to be charged to our Deposit Account No. 033975 (Ref. No. 019287-0317297).

PROPOSED AMENDMENT

Proposed Claim Amendments: The Examiner is hereby authorized to replace all prior versions and listings of claims with the following proposed listing of claims.

PROPOSED LISTING OF CLAIMS:

1-12. (Cancelled)

13. (Proposed Amended) A method for component to service mapping in service level management, comprising:

providing a service over a network having a plurality of network components that support the service, wherein performance of the service depends upon performances of the plurality of network components that support the service, and wherein the service has a state that represents the performance of the service;

monitoring a plurality of component parameters for the plurality of network components that support the service across a plurality of domains of the network;

mapping the plurality of component parameters monitored across the plurality of domains of the network to a service parameter that represents the state of the service, wherein the state of the service indicates whether the service conforms to an agreed upon service level identified in a service level agreement;

monitoring the service parameter that represents the state of the service to detect a change in the state of the service; and

determining a cause of the change in the state of the service in response to detecting the change in the state of the service, wherein determining the cause of the change in the state of the service includes:

executing one or more data mining algorithms to discover respective influences on the service parameter for a first subset of the monitored component parameters in a first domain of the plurality of domains of the network;

executing the one or more data mining algorithms to discover respective influences on the service parameter for a second subset of the monitored component parameters in a second domain of the plurality of domains of the network; and

identifying at least one of the component parameters in the first subset of the monitored component parameters or the second subset of the monitored component parameters as including the cause of the change in the state of the service; and

identifying at least one of the component parameters in the identified subset of the monitored component parameters as the cause of the change in the state of the service.

14. (Previously Presented) The method of claim 13, wherein the service parameter has a value that indicates whether the state of the service conforms to the agreed upon service level identified in the service level agreement.

15. (Previously Presented) The method of claim 14, wherein determining the cause of the change in the state of the service further includes organizing the plurality of component parameters monitored across the plurality of domains of the network into a time ordered set of parameter vectors that reflect the state of the service over an interval that includes a plurality of time increments.

16. (Previously Presented) The method of claim 15, wherein monitoring the service parameter to detect the change in the state of the service includes:

determining that the time ordered set of parameter vectors reflects that the state of the service conformed to the agreed upon service level at a first one of the plurality of time increments in the interval; and

detecting the change in the state of the service in response to the time ordered set of parameter vectors further reflecting that the state of the service did not conform to the agreed upon service level at a second one of the plurality of time increments in the interval.

17. **(Previously Presented)** The method of claim 15, wherein monitoring the service parameter to detect the change in the state of the service includes:

determining that the time ordered set of parameter vectors reflects that the state of the service did not conform to the agreed upon service level at a first one of the plurality of time increments in the interval; and

detecting the change in the state of the service in response to the time ordered set of parameter vectors further reflecting that the state of the service conformed to the agreed upon service level at a second one of the plurality of time increments in the interval.

18. **(Previously Presented)** The method of claim 13, further comprising generating an alarm in response to detecting the change in the state of the service.

19. **(Previously Presented)** The method of claim 13, wherein the one or more data mining algorithms include a rule induction algorithm that comprises producing a plurality of rules that represent the respective influences that the first subset of the monitored component parameters have on the service parameter and the respective influences that the second subset of the monitored component parameters have on the service parameter.

20. **(Previously Presented)** The method of claim 19, wherein the one or more rules include one or more of propositional statements or quantified statements that represent the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter.

21. **(Previously Presented)** The method of claim 19, wherein the one or more data mining algorithms further include a neural network algorithm that comprises:

identifying a case library that includes a plurality of cases representing episodes of problem solving;

applying the plurality of rules to identify one or more of the cases in the case library that are relevant to discovering the respective influences for the first subset of the monitored component parameters and the second subset of the monitored component parameters; and

adapting one or more solution variable associated with the identified cases using parameterized adaptation logic to discover the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter.

22. **(Previously Presented)** The method of claim 13, wherein the one or more data mining algorithms include a decision tree algorithm that comprises:

producing a decision tree that represents the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter; and

representing the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter using one or more of numeric values or binary values.

23. **(Previously Presented)** The method of claim 13, wherein the one or more data mining algorithms include a top N algorithm that comprises:

identifying a predetermined number of the component parameters in the first subset of the monitored component parameters and the second subset of the monitored component parameters that have a greatest influence on the service parameter; and

producing a list that includes the identified component parameters having the greatest influence on the service parameter, wherein the identified component parameters are listed in a decreasing order of the respective influences that the identified component parameters have on the service parameter.

24. **(Previously Presented)** The method of claim 13, wherein the one or more data mining algorithms include an inductive logic algorithm that comprises:

incorporating knowledge relating to the plurality of domains of the network and knowledge relating to the first subset of the monitored component parameters and the second subset of the monitored component parameters within a rule base;

inferring the respective influences that each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter using the knowledge incorporated within the rule base; and

producing one or more of propositional statements or quantified statements that express the respective influences that the each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter.

25. **(Previously Presented)** The method of claim 13, wherein the one or more data mining algorithms include a fuzzy logic algorithm that comprises:

translating the first subset of the monitored component parameters and the second subset of the monitored component parameters into a plurality of respective fuzzy concepts;

determining grades of membership that the first subset of the monitored component parameters and the second subset of the monitored component parameters have in the respective fuzzy concepts, wherein the grades of membership quantify transitions between a plurality of states in a state transition graph; and

inferring the respective influences that each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter from the grades of membership that each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have in the respective fuzzy concepts.

26. **(Cancelled)**

27. (Proposed Amended) A system for component to service mapping in service level management, comprising:

a network having a plurality of network components that support a service provided over the network, wherein performance of the service depends upon performances of the plurality of network components that support the service, and wherein the service has a state that represents the performance of the service;

a plurality of monitoring agents that monitor a plurality of component parameters for the plurality of component parameters that support service across a plurality of domains of the network; and

a network management system configured to:

map the plurality of component parameters monitored across the plurality of domains of the network a service parameter that represents the state of the service, wherein the state of the service indicates whether the service conforms to an agreed upon service level identified in a service level agreement;

monitor the service parameter that represents the state of the service to detect a change in the state of the service;

execute one or more data mining algorithms to discover respective influences on the service parameter for a first subset of the monitored component parameters in a first domain of the plurality of domains of the network in response to detecting the change in the state of the service;

execute the one or more data mining algorithms to discover respective influences on the service parameter for a second subset of the monitored component parameters in a second domain of the plurality of domains of the network in response to detecting the change in the state of the service; and

identify at least one of the component parameters in the first subset of the monitored component parameters or the second subset of the monitored component parameters as including the cause of the change in the state of the service; and

identify at least one of the component parameters in the identified subset of the monitored component parameters as the cause of the change in the state of the service.

28. **(Previously Presented)** The system of claim 27, wherein the service parameter has a value that indicates whether the state of the service conforms to the agreed upon service level identified in the service level agreement.

29. **(Previously Presented)** The system of claim 28, wherein the network management system is further configured to organize the plurality of component parameters monitored across the plurality of domains of the network into a time ordered set of parameter vectors that reflect the state of the service over an interval that includes a plurality of time increments.

30. **(Previously Presented)** The system of claim 29, wherein the network management system is further configured to:

determine that the time ordered set of parameter vectors reflects that the state of the service conformed to the agreed upon service level at a first one of the plurality of time increments in the interval; and

detect the change in the state of the service in response to the time ordered set of parameter vectors further reflecting that the state of the service did not conform to the agreed upon service level at a second one of the plurality of time increments in the interval.

31. **(Previously Presented)** The system of claim 29, wherein the network management system is further configured to:

determine that the time ordered set of parameter vectors reflects that the state of the service did not conform to the agreed upon service level at a first one of the plurality of time increments in the interval; and

detect the change in the state of the service in response to the time ordered set of parameter vectors further reflecting that the state of the service conformed to the agreed upon service level at a second one of the plurality of time increments in the interval.

32. **(Previously Presented)** The system of claim 27, wherein the one or more data mining algorithms include a rule induction algorithm that comprises producing a plurality of rules that represent the respective influences that the first subset of the monitored component parameters have on the service parameter and the respective influences that the second subset of the monitored component parameters have on the service parameter.

33. **(Previously Presented)** The system of claim 32, wherein the one or more rules include one or more of propositional statements or quantified statements that represent the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter.

34. **(Previously Presented)** The system of claim 32, wherein the one or more data mining algorithms further include a neural network algorithm that comprises:

identifying a case library that includes a plurality of cases representing episodes of problem solving;

applying the plurality of rules to identify one or more of the cases in the case library that are relevant to discovering the respective influences for the first subset of the monitored component parameters and the second subset of the monitored component parameters; and

adapting one or more solution variable associated with the identified cases using parameterized adaptation logic to discover the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter.

35. **(Previously Presented)** The system of claim 27, wherein the one or more data mining algorithms include a decision tree algorithm that comprises:

producing a decision tree that represents the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter; and

representing the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter using one or more of numeric values or binary values.

36. **(Previously Presented)** The system of claim 27, wherein the network management system is further configured to generate an alarm in response to detecting the change in the state of the service.

37. **(Previously Presented)** The system of claim 27, wherein the one or more data mining algorithms include a top N algorithm that comprises:

identifying a predetermined number of the component parameters in the first subset of the monitored component parameters and the second subset of the monitored component parameters that have a greatest influence on the service parameter; and

producing a list that includes the identified component parameters having the greatest influence on the service parameter, wherein the identified component parameters are listed in a decreasing order of the respective influences that the identified component parameters have on the service parameter.

38. **(Previously Presented)** The system of claim 27, wherein the one or more data mining algorithms include an inductive logic algorithm that comprises:

incorporating knowledge relating to the plurality of domains of the network and knowledge relating to the first subset of the monitored component parameters and the second subset of the monitored component parameters within a rule base;

inferring the respective influences that each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter using the knowledge incorporated within the rule base; and

producing one or more of propositional statements or quantified statements that express the respective influences that the each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter.

39. **(Previously Presented)** The system of claim 27, wherein the one or more data mining algorithms include a fuzzy logic algorithm that comprises:

translating the first subset of the monitored component parameters and the second subset of the monitored component parameters into a plurality of respective fuzzy concepts;

determining grades of membership that the first subset of the monitored component parameters and the second subset of the monitored component parameters have in the respective fuzzy concepts, wherein the grades of membership quantify transitions between a plurality of states in a state transition graph; and

inferring the respective influences that each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter from the grades of membership that each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have in the respective fuzzy concepts.

40-48. **(Cancelled)**

49. **(Proposed Amended)** A computer-readable medium containing computer-executable instructions for providing service analysis in service level management, wherein executing the computer-executable instructions on a computer causes the computer to:

provide a service over a network having a plurality of network components that support the service, wherein performance of the service depends upon performances of the plurality of network components that support the service, and wherein the service has a state that represents the performance of the service;

monitor a plurality of component parameters for the plurality of network components that support the service across a plurality of domains of the network;

map the plurality of component parameters monitored across the plurality of domains of the network to a service parameter that represents the state of the service, wherein the state of the service indicates whether the service conforms to an agreed upon service level identified in a service level agreement;

monitor the service parameter that represents the state of the service to detect a change in the state of the service;

execute one or more data mining algorithms to discover respective influences on the service parameter for a first subset of the monitored component parameters in a first domain of the network in response to detecting the change in the state of the service;

execute the one or more data mining algorithms to discover respective influences on the state of the service parameters for a second subset of the monitored component parameters in a second domain of the plurality of domains of the network in response to detecting the change in the state of the service; and

identify at least one of the component parameters in the first subset of the monitored component parameters or the second subset of the monitored component parameters as including the cause of the change in the state of the service; and

identify at least one of the component parameters in the identified subset of the monitored component parameters as the cause of the change in the state of the service.

50. **(Previously Presented)** The computer-readable medium of claim 49, wherein the service parameter has a value that indicates whether the state of the service conforms to the agreed upon service level identified in the service level agreement.

51. **(Previously Presented)** The computer-readable medium of claim 50, wherein executing the computer-executable instructions on the computer further cause the computer to organize the plurality of component parameters monitored across the plurality of domains of the

network into a time ordered set of parameter vectors that reflect the state of the service over an interval that includes a plurality of time increments.

52. **(Previously Presented)** The computer-readable medium of claim 51, wherein executing the computer-executable instructions on the computer further cause the computer to:

determine that the time ordered set of parameter vectors reflects that the state of the service conformed to the agreed upon service level at a first one of the plurality of time increments in the interval; and

detect the change in the state of the service in response to the time ordered set of parameter vectors further reflecting that the state of the service did not conform to the agreed upon service level at a second one of the plurality of time increments in the interval.

53. **(Previously Presented)** The computer-readable medium of claim 51, wherein executing the computer-executable instructions on the computer further cause the computer to:

determine that the time ordered set of parameter vectors reflects that the state of the service did not conform to the agreed upon service level at a first one of the plurality of time increments in the interval; and

detect the change in the state of the service in response to the time ordered set of parameter vectors further reflecting that the state of the service conformed to the agreed upon service level at a second one of the plurality of time increments in the interval.

54. **(Previously Presented)** The computer-readable medium of claim 49, wherein the one or more data mining algorithms include a rule induction algorithm that comprises producing a plurality of rules that represent the respective influences that the first subset of the monitored component parameters have on the service parameter and the respective influences that the second subset of the monitored component parameters have on the service parameter.

55. **(Previously Presented)** The computer-readable medium of claim 54, wherein the one or more rules include one or more of, propositional statements or quantified statements that

represent respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter.

56. (Previously Presented) The computer-readable medium of claim 54, wherein the one or more data mining algorithms further include a neural network algorithm that comprises:

identifying a case library that includes a plurality of cases representing episodes of problem solving;

applying the plurality of rules to identify one or more of the cases in the case library that are relevant to discovering the respective influences for the first subset of the monitored component parameters and the second subset of the monitored component parameters; and

adapting one or more solution variable associated with the identified cases using parameterized adaptation logic to discover the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter.

57. (Previously Presented) The computer-readable medium of claim 49, wherein the one or more data mining algorithms include a decision tree algorithm that comprises:

producing a decision tree that represents the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter; and

representing the respective influences that the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter using one or more of numeric values or binary values.

58. (Previously Presented) The computer-readable medium of claim 49, wherein the executing the computer-executable instructions on the computer further cause the computer to generate an alarm in response to detecting the change in the state of the service.

59. **(Previously Presented)** The computer-readable medium of claim 49, wherein the one or more data mining algorithms include a top N algorithm that comprises:

identifying a predetermined number of the component parameters in the first subset of the monitored component parameters and the second subset of the monitored component parameters that have a greatest influence on the service parameter; and

producing a list that includes the identified component parameters having the greatest influence on the service parameter, wherein the identified component parameters are listed in a decreasing order of the respective influences that the identified component parameters have on the service parameter.

60. **(Previously Presented)** The computer-readable medium of claim 49, wherein the one or more data mining algorithms include an inductive logic algorithm that comprises:

incorporating knowledge relating to the plurality of domains of the network and knowledge relating to the first subset of the monitored component parameters and the second subset of the monitored component parameters within a rule base;

inferring the respective influences that each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter using the knowledge incorporated within the rule base; and

producing one or more of propositional statements or quantified statements that express the respective influences that the each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter.

61. **(Previously Presented)** The computer-readable medium of claim 49, wherein the mining algorithms include a fuzzy logic algorithm that comprises:

translating the first subset of the monitored component parameters and the second subset of the monitored component parameters into a plurality of respective fuzzy concepts;

determining grades of membership that the first subset of the monitored component parameters and the second subset of the monitored component parameters have in the

respective fuzzy concepts, wherein the grades of membership quantify transitions between a plurality of states in a state transition graph; and

inferring the respective influences that each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have on the service parameter from the grades of membership that each of the first subset of the monitored component parameters and the second subset of the monitored component parameters have in the respective fuzzy concepts.

62. (Cancelled)

REMARKS

Upon entry of the foregoing Proposed Amendment, claims 13-25, 27-39, and 49-61 would be pending in the application. Claims 13, 27, and 49 would be amended. Claim 4 would be cancelled. No claims would be newly added. Applicant believes that this Proposed Amendment would not add new matter. In view of the foregoing Proposed Amendment and the following Remarks, allowance of all the pending claims is requested.

EXAMINER INTERVIEW

In a telephonic discussion with the Examiner on October 26, 2009, the Examiner proposed amending the claims as indicated above to place the application in condition for allowance. As such, the Examiner is hereby authorized to enter the foregoing Proposed Amendment for the sole purpose of placing the application in condition for allowance. Notice to that effect is respectfully requested.

In addition, Applicant notes that during the telephonic discussion with the Examiner, the Examiner indicated that a terminal disclaimer will be required with respect to U.S. Patent No. 7,600,007, co-pending U.S. Patent Application Serial No. 09/577,232, and co-pending U.S. Patent Application Serial No. 09/577,224. As such, Applicant will file a terminal disclaimer to this effect in due course to obviate any potential non-statutory double patenting rejections.

Furthermore, Applicant notes that the filing of a terminal disclaimer to obviate a potential rejection based on non-statutory double patenting does not constitute an admission of the propriety of the potential rejection. *See Quad Environmental Technologies Corp. v. Union Sanitary District*, 946 F.2d 870 (Fed. Cir. 1991).

CONCLUSION


Having addressed each of the issues raised by the Examiner during the telephonic discussion with the Examiner on October 26, 2009, it is respectfully submitted that the application is in condition for allowance. Notice to that effect is respectfully requested.

If the Examiner believes, for any reason, that personal communication will expedite prosecution of this application, the Examiner is invited to telephone the undersigned at the number provided.

Date: October 26, 2009

Respectfully submitted,

By:



Syed Jafar Ali
Registration No. 58,780

PILLSBURY WINTHROP SHAW PITTMAN LLP
P.O. Box 10500
McLean, Virginia 22102
Main: 703-770-7900
Direct: 703-770-7540
Fax: 703-770-7901